



Nothing but **HEAVY DUTY.**<sup>™</sup>

# TRANSPORT

## CATALOGUE



### MAINTENANCE



SEE PAGES 2-8

### ENGINE WORK



SEE PAGES 9-11

### REPAIRS



SEE PAGES 12-18

### BODY WORK



SEE PAGES 19-21

# MAINTENANCE

M18 ONEFHIWF1D-121C | ART.# 4933471756 (Also available as 0-version)

## M18 FUEL ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL

FEATURES:

- The M18 FUEL™ D-Handle high torque impact wrench with a 150 mm extended anvil delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- The integrated blow counting sensor enhances the consistent repeatability of the chosen torque setting
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality. Customisation function allows for precise tool adjustment to application
- Lug nut mode when enabled through ONE-KEY™ will automatically shut the tool off when it comes into the range of 475 Nm - 610 Nm to prevent over-tightening of lug nuts
- Tri-LEDs deliver high definition lighting to increase workspace visibility

ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE.

RED LITHIUM™  
HIGH OUTPUT BATTERY TECHNOLOGY

KIT INCLUDES:



IN SHORT ANVIL:

M18 ONEFHIWF1DS-121C  
ART.# 4933472072 (Also available as a 0-version)

KIT INCLUDES:



RED LITHIUM™

STAY SAFE.  
STAY PRODUCTIVE.

BANDED HEARING  
PROTECTION  
SEE PAGE 29

## SHOCKWAVE™ 1" SQUARE SOCKETS

STANDARD SOCKETS

| Size (mm) | ART.#      |
|-----------|------------|
| 27        | 4932480408 |
| 30        | 4932480409 |
| 32        | 4932480410 |
| 33        | 4932480411 |
| 33        | 4932480412 |
| 34        | 4932480413 |
| 38        | 4932480414 |
| 39        | 4932480415 |
| 41        | 4932480416 |
| 42        | 4932480417 |
| 44        | 4932480950 |
| 46        | 4932480418 |
| 50        | 4932480419 |
| 55        | 4932480420 |
| 60        | 4932480421 |
| 65        | 4932480422 |
| 70        | 4932480423 |

DEEP SOCKETS

| Size (mm) | ART.#      |
|-----------|------------|
| 27        | 4932480424 |
| 30        | 4932480425 |
| 32        | 4932480426 |
| 33        | 4932480427 |
| 34        | 4932480428 |
| 36        | 4932480429 |
| 38        | 4932480430 |
| 39        | 4932480431 |
| 41        | 4932480432 |
| 44        | 4932480433 |
| 46        | 4932480434 |
| 50        | 4932480435 |
| 55        | 4932480436 |
| 60        | 4932480437 |
| 65        | 4932480438 |

1" EXTENSIONS

| Description                            | ART.#      |
|----------------------------------------|------------|
| Extension 1" - 175 mm                  | 4932480440 |
| Extension 1" - 250 mm                  | 4932480441 |
| Universal swivel joint                 | 4932480443 |
| Reducer 1" - 3/4"                      | 4932480442 |
| Security retaining ring for 27 - 44 mm | 4932480451 |
| Security retaining ring for 46 - 70 mm | 4932480452 |



## GET THE RIGHT IMPACT WRENCH FOR THE JOB

MILWAUKEE®  
IMPACT  
SOCKETS  
SEE PAGE 6

COMPACT

MID TORQUE

HIGH PERFORMANCE

M12 FUEL



339 Nm  
M16\*

M12 FIWF12-422X  
ART.# 4933464616

M18



240 Nm  
M16\*

M18 BIW12-402C  
ART.# 4933443607

M18 FUEL

ONE-KEY

ONE-KEY

ONE-KEY  
RED LITHIUM™  
BATTERY TECHNOLOGY

ONE-KEY  
RED LITHIUM™  
BATTERY TECHNOLOGY



339 Nm  
M18\*

M18 FIW2F12-502X  
ART.# 4933478444



745 Nm  
M20\*

M18 FMTIW2F12-502X  
ART.# 4933478450



1356 Nm  
M33\*

M18 ONEFHIWF12-502X  
/ M18 FHIWF12-502X  
ART.# 4933459727  
ART.# 4933459696




1627 Nm  
M33\*

M18 ONEFHIWF34-502X  
ART.# 4933459730



2033 Nm  
M42\*

M18 ONEFHIWF1-802X  
ART.# 4933459733



2576 Nm  
M42\*

M18 ONEFHIWF1D-121C  
ART.# 4933471756

SMALL METRIC BOLTS

Engine works, small cars

SMALL TO MEDIUM METRIC BOLTS

Tyre change on cars

MEDIUM TO LARGE METRIC BOLTS

Designed for soft joint applications, better for lug nut applications

LARGE METRIC BOLTS

EXTRA LARGE METRIC BOLTS

Tyre change on heavy trucks, under the truck

RUBBER SLEEVE  
FOR M12 FIWF  
ART.# 4932478758

RUBBER SLEEVE  
FOR M18 FIW2F  
ART.# 4932478770

RUBBER SLEEVE  
FOR M18 FMTIW2F  
ART.# 4932478771

RUBBER SLEEVE  
FOR M18 FHIWF12  
ART.# 49162767

RUBBER SLEEVE  
FOR M18 ONEFHIWF1  
ART.# 4932478760

For the full range of MILWAUKEE® impact wrenches and sockets visit [milwaukeeeetool.eu](https://milwaukeeeetool.eu)

\*Recommended max bolt size

RED LITHIUM™

RED LITHIUM™  
BATTERY TECHNOLOGY

M12 FIR38LR-0 | ART.# 4933471500 (Available as 0-version only)

**M12 FUEL 3/8" EXTENDED REACH RATCHET**

WITH UP TO **75 NM OF MAX TORQUE** AND **200 RPM'S**, THIS TOOL IS THE IDEAL FASTENING SOLUTION FOR AUTOMOTIVE MECHANICS, MAINTENANCE AND REPAIR PROFESSIONALS.



Also available with 1/4" reception

M12 FIR14LR-0  
ART.# 4933471499

KIT INCLUDES:



M12 FIR38LR

**3/8" EXTENDED REACH RATCHET COMMON APPLICATIONS**

- Suspension
- Brake replacements
- Lug nuts in wheel well
- Under carriage
- Body work

**1/4" EXTENDED REACH RATCHET COMMON APPLICATIONS**

- Engine work
- Thermostat replacement
- Dashboard
- Transmission
- Radiator

TRANSPORT EDITION

M12 FHIR14-0 | ART.# 4933478171  
(Available as 0-version only)

**M12 FUEL 1/4" HIGH SPEED RATCHET**



KIT INCLUDES:



M12 FHIR14

Also available with with 3/8" square reception:

M12 FHIR38-0 | ART.# 4933478172

**M12 FUEL 3/8" HIGH SPEED RATCHET**



KIT INCLUDES:



M12 FHIR38

M12 ONEFTR38-201C | ART.# 4933464967  
(Also available as 0-version)

**M12 FUEL ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH**

ONE-KEY



KIT INCLUDES:



M12 ONEFTR38

M12 B2

C12 C

KITBOX

Also available with 1/2" reception



M12 ONEFTR12-201C  
ART.# 4933464970

M12 FRAIWF12-0 | ART.# 4933471699 (Available as 0-version only)

**M12 FUEL 1/2" RIGHT ANGLE IMPACT WRENCH**



KIT INCLUDES:



M12 FRAIWF12

**PERFECT MATCH**

**IMPACT RATED SOCKETS & IMPACT TOOLS**



For the range of new SHOCKWAVE™ Impact Duty sockets see **page 6**

**REDLITHIUM™**

**REDLITHIUM™ BATTERY TECHNOLOGY**

STAY SAFE.  
STAY PRODUCTIVE.

CUT SLEEVES  
& KNEE PADS  
SEE PAGE 29





THE EXTENSIVE  
**SHOCKWAVE™**  
**IMPACT DUTY**  
**SOCKET RANGE**  
JUST GOT BIGGER

**SHOCKWAVE**  
IMPACT DUTY



**NEW 1/4" IMPACT SOCKETS**

|                                      |                                      |                                  |
|--------------------------------------|--------------------------------------|----------------------------------|
|                                      |                                      |                                  |
| Hex socket rail+ clips 1/4 350mm-1pc | Hex socket rail extra clips 1/4-10pc | Hex socket ShW 1/4 deep set-12pc |
| ART.#                                | 4932480444                           | 4932480445                       |

1/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

| SIZE (mm) | ART.#      |
|-----------|------------|
| 4         | 4932480251 |
| 4.5       | 4932480252 |
| 5         | 4932480253 |
| 5.5       | 4932480254 |
| 6         | 4932480255 |
| 7         | 4932480256 |
| 8         | 4932480257 |
| 9         | 4932480258 |
| 10        | 4932480259 |
| 11        | 4932480260 |
| 12        | 4932480261 |
| 13        | 4932480262 |



**NEW 3/8" IMPACT SOCKETS**

|                                                          |                                                      |
|----------------------------------------------------------|------------------------------------------------------|
|                                                          |                                                      |
| 3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - standard | 3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - deep |
| ART.#                                                    | 4932480454                                           |
|                                                          | 4932480455                                           |

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

| SIZE (mm) | ART.#      |
|-----------|------------|
| 8         | 4932480265 |
| 10        | 4932480267 |
| 11        | 4932480268 |
| 12        | 4932480269 |
| 13        | 4932480270 |
| 14        | 4932480271 |
| 15        | 4932480272 |
| 16        | 4932480273 |
| 17        | 4932480274 |
| 18        | 4932480275 |
| 19        | 4932480276 |
| 21        | 4932480278 |
| 22        | 4932480279 |

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

| SIZE (mm) | ART.#      |
|-----------|------------|
| 8         | 4932480282 |
| 10        | 4932480284 |
| 11        | 4932480285 |
| 12        | 4932480286 |
| 13        | 4932480287 |
| 14        | 4932480288 |
| 15        | 4932480289 |
| 16        | 4932480290 |
| 17        | 4932480291 |
| 18        | 4932480292 |
| 19        | 4932480293 |
| 21        | 4932480295 |
| 22        | 4932480296 |

**1/2" IMPACT SOCKETS**

|          |                                      |
|----------|--------------------------------------|
|          |                                      |
| ART.#    | 4932451568                           |
| INCLUDES | 1/2" impact sockets: 17 / 19 / 21 mm |
| ART.#    | 4932480456                           |
|          | 4932480457                           |
| INCLUDES |                                      |

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

| SIZE (mm) | ART.#      |
|-----------|------------|
| 8         | 4932480302 |
| 10        | 4932480304 |
| 11        | 4932480305 |
| 12        | 4932480306 |
| 13        | 4932480307 |
| 14        | 4932480308 |
| 15        | 4932480309 |
| 16        | 4932480310 |
| 17        | 4932480311 |
| 18        | 4932480312 |
| 19        | 4932480313 |
| 21        | 4932480315 |
| 22        | 4932480316 |
| 24        | 4932480318 |
| 27        | 4932480321 |
| 30        | 4932480324 |
| 32        | 4932480325 |

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

| SIZE (mm) | ART.#      |
|-----------|------------|
| 8         | 4932480326 |
| 10        | 4932480328 |
| 11        | 4932480329 |
| 12        | 4932480330 |
| 13        | 4932480331 |
| 14        | 4932480332 |
| 15        | 4932480333 |
| 16        | 4932480334 |
| 17        | 4932480335 |
| 18        | 4932480336 |
| 19        | 4932480337 |
| 21        | 4932480339 |
| 22        | 4932480340 |
| 24        | 4932480342 |
| 27        | 4932480345 |
| 30        | 4932480348 |
| 32        | 4932480349 |

**NEW 3/4" IMPACT SOCKETS**

| SIZE (mm) | ART.#      |
|-----------|------------|
| 17        | 4932480361 |
| 19        | 4932480362 |
| 21        | 4932480363 |
| 22        | 4932480364 |
| 23        | 4932480365 |
| 24        | 4932480366 |
| 27        | 4932480367 |
| 30        | 4932480368 |
| 32        | 4932480369 |
| 33        | 4932480370 |
| 34        | 4932480371 |
| 36        | 4932480372 |
| 38        | 4932480373 |
| 39        | 4932480374 |
| 41        | 4932480375 |
| 46        | 4932480376 |
| 50        | 4932480377 |

3/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

| SIZE (mm) | ART.#      |
|-----------|------------|
| 17        | 4932480378 |
| 19        | 4932480379 |
| 21        | 4932480380 |
| 22        | 4932480381 |
| 23        | 4932480382 |
| 24        | 4932480383 |
| 25        | 4932480384 |
| 26        | 4932480385 |
| 27        | 4932480386 |
| 28        | 4932480387 |
| 29        | 4932480388 |
| 30        | 4932480389 |
| 31        | 4932480390 |
| 32        | 4932480391 |
| 33        | 4932480392 |
| 34        | 4932480393 |
| 35        | 4932480394 |
| 36        | 4932480395 |
| 37        | 4932480396 |
| 38        | 4932480397 |
| 39        | 4932480398 |
| 40        | 4932480399 |
| 41        | 4932480400 |
| 46        | 4932480401 |
| 50        | 4932480402 |

3/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

**ADAPTORS & EXTENSIONS**

| DRIVE SIZE | DESCRIPTION                  | ART.#      |
|------------|------------------------------|------------|
| 3/8"       | Extension 3/8" – 150 mm      | 4932478055 |
| 3/8"       | Extension 3/8" – 250 mm      | 4932478056 |
| 1/2"       | Extension 1/2" – 150 mm      | 4932478057 |
| 1/2"       | Extension 1/2" – 250 mm      | 4932478058 |
| 3/4"       | Extension 3/4" – 175 mm      | 4932480403 |
| 3/4"       | Extension 3/4" – 250 mm      | 4932480404 |
| 3/4"       | Universal joint              | 4932480301 |
| 3/4"       | Adaptor 3/4" - 1"            | 4932480406 |
| 3/4"       | Reducer 3/4" - 1/2"          | 4932480405 |
| 3/4"       | 3/4" Security retaining ring | 4932480450 |

**VERSATILE SOCKETS.**  
**ANTI-ROLL WRENCH READY.**

1/4", 3/8" & 1/2" DRIVE SOCKETS

**NEW**



**1/4" DRIVE SOCKETS, METRIC**

| SIZE (mm) | ART.#      |
|-----------|------------|
| 4         | 4932479992 |
| 4.5       | 4932479993 |

**1/4" DEEP DRIVE SOCKETS, METRIC**

| SIZE (mm) | ART.#      |
|-----------|------------|
| 4         | 4932479994 |
| 4.5       | 4932479995 |

**1/2" DRIVE SOCKETS, METRIC**

| SIZE (mm) | ART.#      |
|-----------|------------|
| 8         | 4932480006 |
| 9         | 4932480007 |
| 10        | 4932480008 |
| 11        | 4932480009 |
| 12        | 4932480010 |
| 13        | 4932480011 |
| 14        | 4932480012 |
| 15        | 4932480013 |
| 16        | 4932480014 |
| 17        | 4932480015 |
| 18        | 4932480016 |
| 19        | 4932480017 |
| 20        | 4932480018 |
| 21        | 4932480019 |
| 22        | 4932480020 |
| 23        | 4932480021 |
| 24        | 4932480022 |
| 25        | 4932480023 |
| 26        | 4932480024 |
| 27        | 4932480025 |
| 28        | 4932480026 |
| 30        | 4932480027 |
| 32        | 4932480028 |
| 36        | 4932480029 |

**1/2" DEEP DRIVE SOCKETS, METRIC**

| SIZE (mm) | ART.#      |
|-----------|------------|
| 10        | 4932480030 |
| 11        | 4932480031 |
| 12        | 4932480032 |
| 13        | 4932480033 |
| 14        | 4932480034 |
| 15        | 4932480035 |
| 16        | 4932480036 |
| 17        | 4932480037 |
| 18        | 4932480038 |
| 19        | 4932480039 |
| 20        | 4932480040 |
| 21        | 4932480041 |
| 22        | 4932480042 |
| 23        | 4932480043 |
| 24        | 4932480044 |
| 27        | 4932480045 |
| 30        | 4932480046 |
| 32        | 4932480047 |
| 36        | 4932480048 |

**3/8" DRIVE SOCKETS, METRIC**

| SIZE (mm) | ART.#      |
|-----------|------------|
| 20        | 4932479996 |
| 21        | 4932479997 |
| 22        | 4932479998 |
| 23        | 4932479999 |
| 24        | 4932480000 |

**3/8" DEEP DRIVE SOCKETS, METRIC**

| SIZE (mm) | ART.#      |
|-----------|------------|
| 20        | 4932480001 |
| 21        | 4932480002 |
| 22        | 4932480003 |
| 23        | 4932480004 |
| 24        | 4932480005 |

**RATCHETS**


|                              | ART.#      |
|------------------------------|------------|
| ① 1/4" Drive compact ratchet | 4932479646 |
| ② 1/4" Drive long ratchet    | 4932479647 |
| ③ 3/8" Drive compact ratchet | 4932479650 |
| ④ 3/8" Drive long ratchet    | 4932479651 |
| ⑤ 1/2" Drive long ratchet    | 4932479654 |



SCAN TO VIEW  
**THE SOCKETS & RATCHET RANGE**



M12 UCL-0 | ART.# 4933478868 (Available as 0-version only)  
**M12 UNDERCARRIAGE LIGHT**



3 light output modes with a 30 cm magnetic storage tray

Dual joints swivel 300° horizontally and 180° vertically for full under carriage illumination

Magnetic base for mounting applications

**FEATURES:**

- TRUEVIEW™ high definition lighting with up to 1200 lumens
- Up to 15 hours of run time on M12™ 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage illumination coverage
- Magnetic base for mounting applications & 30 cm magnetic storage tray to hold nuts & bolts

**KIT INCLUDES:**



**1200 LUMENS**

|        |             |       |
|--------|-------------|-------|
| High   | 1200 Lumens | 5 hr  |
| Medium | 800 Lumens  | 8 hr  |
| Low    | 600 Lumens  | 15 hr |

**REDLITHIUM™**

**NEW** L4 SL550-301 | ART.# 4933478869  
**USB RECHARGEABLE STICK LIGHT 550 LUMENS**



4 light output modes with impact and chemical resistant lens

Versatile attachment with magnet or hang hook

220° vertical light head rotations

**550 LUMENS**  
**IP54**

**KIT INCLUDES:**



| INSPECTION |            |      |
|------------|------------|------|
| High       | 250 Lumens | 2 hr |
| Low        | 100 Lumens | 5 hr |

| DUAL PANEL |            |      |
|------------|------------|------|
| High       | 550 Lumens | 2 hr |
| Low        | 250 Lumens | 5 hr |

| SINGLE PANEL |            |      |
|--------------|------------|------|
| High         | 550 Lumens | 2 hr |
| Low          | 250 Lumens | 5 hr |

**REDLITHIUM™**  
**USB**

# ENGINE WORK

M12 UHL-0 | ART.# 4933459432 (Available as 0-version only)  
**M12 LED UNDERHOOD LIGHT**

**UNDER HOOD**



Perfect for work in the engine thanks to downward light and hands free use

MOUNTING HOOKS EXTEND  
**119 CM - 196 CM**  
**(47" - 77")**  
COVERING WIDE CARS AND TRUCKS.



|      |             |      |
|------|-------------|------|
| High | 1350 Lumens | 4 hr |
| Low  | 600 Lumens  | 6 hr |

**UNDER CARRIAGE**



Ability to be mounted or rested on the ground

**ANYWHERE ELSE**



A detachable light bar is useful inside the cabin for fleet modifications to new vehicles, wiring work, or for the exterior for finding scratches or dents in the body and many other applications

HANG ANYWHERE WITH  
**STAINLESS STEEL HOOK**

**FISHGUARD™ HOOKS FOR LASTING PROTECTION**

**2X THE GRIPPING SURFACE**

**2000 LUMENS**  
**IP54**

**REDLITHIUM™**

HL-SF | ART.# 4933471388  
**ALKALINE SPOT FLOOD HEADLAMP**



5 light output modes  
Safety helmet clips for comfortable use

Sweat absorbing, microdibre strap and forehead pad

7 position head tilt

Flood light

Spot light with 100 m beam distance



**450 LUMENS**  
**IP54**

|        |                     |              |
|--------|---------------------|--------------|
| Hybrid | 450 Lumens          | 2 hr         |
| Spot   | 350 Lumens          | 4 hr         |
| Flood  | 350/ 150/ 25 Lumens | 4/ 10/ 26 hr |

**REDLITHIUM™**

M12 IC-201C (S) | ART.# 4933441680 (Also available as 0-version)  
**M12 SUB COMPACT M-SPECTOR™ 360° CAMERA**

FEATURES:

- 270 degrees rotating screen providing the user fluid image control
- Optimised 68.6 mm LCD: digital image and large screen delivers crisp, clear picture
- 9 mm 640 x 480 digital image sensor: outstanding image quality in nearly half the size
- 4 surround LED lights: best in class brightness without shadow or glare
- Enhanced cable: aluminium head and improved flexibility delivers outstanding durability and pipe maneuverability
- Accessories: hook, magnet, and mirror attachments help to inspect and solve

KIT INCLUDES:



CABLE EXTENSION  
ART.# 48530110

Up to a maximum of  
3 extensions can be  
fixed together.  
0.9 m cable length  
17 mm cable diameter

FOR  
**ENGINE  
CHECKS**

**REDLITHIUM™**

2267-40 | ART.# 4933451906

**10:1 INFRARED TEMP-GUN™**

FEATURES:

- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised overmolding protects lens and screen from direct impact

KIT INCLUDES:



FOR MOTOR  
**HEALTH  
CHECKS**

2216-40 | ART.# 4933427309  
**LIGHT COMMERCIAL  
MULTIMETER**

KIT INCLUDES:



2212-20 | ART.# 4933447776  
**AUTO VOLTAGE /  
CONTINUITY TESTER**

KIT INCLUDES:



2217-40 | ART.# 4933416976  
**DIGITAL MULTIMETER**

KIT INCLUDES:



2200-40 | ART.# 4932352561  
**VOLTAGE DETECTOR**

KIT INCLUDES:



**COMBINATION  
SPANNERS**

SCAN TO VIEW  
THE FULL **COMBINATION  
SPANNER** RANGE & SETS



**MAXBITE™ COMBINATION SPANNERS**

| Description                                | Art.#      |
|--------------------------------------------|------------|
| MAXBITE™ metric combination spanner - 6mm  | 4932480197 |
| MAXBITE™ metric combination spanner - 7mm  | 4932480198 |
| MAXBITE™ metric combination spanner - 23mm | 4932480199 |
| MAXBITE™ metric combination spanner - 24mm | 4932480200 |
| MAXBITE™ metric combination spanner - 25mm | 4932480201 |
| MAXBITE™ metric combination spanner - 26mm | 4932480202 |
| MAXBITE™ metric combination spanner - 27mm | 4932480203 |
| MAXBITE™ metric combination spanner - 28mm | 4932480204 |
| MAXBITE™ metric combination spanner - 29mm | 4932480205 |
| MAXBITE™ metric combination spanner - 30mm | 4932480206 |
| MAXBITE™ metric combination spanner - 32mm | 4932480207 |
| MAXBITE™ metric combination spanner - 36mm | 4932480208 |

**ROUNDED  
I-BEAM HANDLE**

Comfortable in high  
torque applications

**15° OFFSET BOX &  
12 POINT BOX END**

Improved accessibility in  
tight spaces

**MAXBITE™ OPEN END**

Up to 25% more torque

**INK FILLED  
SIZE LABELS**

Quick and easy size  
identification

**CHROME FINISH**  
Professional look,  
easy cleaning

**MAXBITE™ COMBINATION RATCHETING SPANNERS**

| Description                                           | Art.#      |
|-------------------------------------------------------|------------|
| MAXBITE™ ratcheting metric combination spanner - 6mm  | 4932480209 |
| MAXBITE™ ratcheting metric combination spanner - 7mm  | 4932480210 |
| MAXBITE™ ratcheting metric combination spanner - 24mm | 4932480211 |
| MAXBITE™ ratcheting metric combination spanner - 25mm | 4932480212 |
| MAXBITE™ ratcheting metric combination spanner - 27mm | 4932480213 |
| MAXBITE™ ratcheting metric combination spanner - 30mm | 4932480214 |
| MAXBITE™ ratcheting metric combination spanner - 32mm | 4932480215 |

**ROUNDED  
I-BEAM HANDLE**

Comfortable in high  
torque applications

**DOUBLE STACKED  
PAWLS**

Durable mechanism for  
longest ratchet life

**MAXBITE™ OPEN END**

Up to 25% more torque

**144 TOOTH COUNT -  
2.5° OF ARC SWING**

More rotation,  
higher productivity

**CHROME FINISH**  
Professional look,  
easy cleaning

**MAXBITE™ FLEXHEAD RATCHETING SPANNERS**

| Description                                        | Art.#      |
|----------------------------------------------------|------------|
| MAXBITE™ flexhead ratcheting metric spanner - 8mm  | 4932480181 |
| MAXBITE™ flexhead ratcheting metric spanner - 9mm  | 4932480182 |
| MAXBITE™ flexhead ratcheting metric spanner - 10mm | 4932480183 |
| MAXBITE™ flexhead ratcheting metric spanner - 11mm | 4932480184 |
| MAXBITE™ flexhead ratcheting metric spanner - 12mm | 4932480185 |
| MAXBITE™ flexhead ratcheting metric spanner - 13mm | 4932480186 |
| MAXBITE™ flexhead ratcheting metric spanner - 14mm | 4932480187 |
| MAXBITE™ flexhead ratcheting metric spanner - 15mm | 4932480188 |
| MAXBITE™ flexhead ratcheting metric spanner - 16mm | 4932480189 |
| MAXBITE™ flexhead ratcheting metric spanner - 17mm | 4932480190 |
| MAXBITE™ flexhead ratcheting metric spanner - 18mm | 4932480191 |
| MAXBITE™ flexhead ratcheting metric spanner - 19mm | 4932480192 |
| MAXBITE™ flexhead ratcheting metric spanner - 20mm | 4932480193 |
| MAXBITE™ flexhead ratcheting metric spanner - 21mm | 4932480194 |
| MAXBITE™ flexhead ratcheting metric spanner - 22mm | 4932480195 |

**ROUNDED  
I-BEAM HANDLE**

Comfortable in high  
torque applications

**DOUBLE STACKED  
PAWLS**

Durable mechanism for  
longest ratchet life

**MAXBITE™ OPEN END**

Up to 25% more torque

**ADJUSTABLE  
SET SCREW**

For preferred  
flex head tension

**144 TOOTH COUNT -  
2.5° OF ARC SWING**

More rotation,  
higher productivity

**CHROME FINISH**  
Professional look,  
easy cleaning

**NEW** ART.# 48229215  
**HOOK & PICK SET**

FEATURES:

- All-metal core for long-lasting durability and rust protection
- Chrome-plated shanks reduce corrosion and provide rust protection

ALSO AVAILABLE

| Description                       | ART.#      |
|-----------------------------------|------------|
| Heavy Duty Hook & Pick Set (4 pc) | 4932480568 |
| 8pc pick set                      | 4932480569 |
| Hose pick - flat tip              | 4932480570 |
| Hose pick - hook                  | 4932480571 |
| Hose pick - bent 90 degrees       | 4932480572 |
| Hose pick - bent 45 degrees       | 4932480573 |

ART.# 48229214  
**PRY BAR SET**

FEATURES:

- Curved claw design reduces damage when pulling nails
- I-Beam design for added durability
- Hammer-ready strike cap improves leverage when working in tight and tricky spaces
- Comfortable Tri-Lobe handles for better grip
- All-chrome shafts for increased durability
- All-metal core for improved durability
- Includes: 200 mm - 300 mm - 450 mm - 600 mm

REPAIRS

M12 FCOT-422X | ART.# 4933464619 (Also available as 0-version)

M12 FUEL SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL

IDEAL FOR METAL CUTTING

FEATURES:

- Fast accurate cutting with up to 20,000 RPM
- Optimised ergonomic design for easy control and one-handed use. Only 1.1 kg and 226 mm in length
- Multi-material cutting capability with variety of blades available (metal cut-off wheel, carbide abrasive blade and diamond tile blade included)
- 76 mm blade offers up to 16.3 mm depth of cut
- Easily adjustable guard and unique forward/reverse selectable blade rotation direction to protect user from debris in various cutting positions

KIT INCLUDES:



76 X 1 MM THIN METAL CUTTING DISC (5 PCS)  
ART.# 4932464717  
For cutting steel and stainless steel

PERFECT FOR  
SHEET METAL (0.5 - 1.5 MM)  
THREADED ROD (10 - 13 MM)  
METAL CONDUIT / EMT  
MISC. METAL CUT OFF  
COPPER

M18 ONEFSAG125XPDB-502X  
ART.# 4933478435

M18 FUEL ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH

FEATURES:

- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ enabled
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Reduced gearhead size and lower angle of battery slot for better balance & ergonomics compared to previous model
- Non-lockable safety paddle switch with line-lock-out function to prevent automatic start up
- Anti-vibration side handle for lower vibration
- Integrated FIXTEC™ system for tool-free wheel change
- Slim handle design
- Removable dust screen to prevent debris entrance, prolonging motor life



ONE-KEY  
UNLOCKING THE DIGITAL JOBSITE

RAPID STOP

FIXTEC™ NUT

ART.# 4932352473

For disc changing in seconds  
No extra tools required



KIT INCLUDES:



Also available with slide switch

M18 ONEFSAG125XB-0X  
ART.# 4933478433

KIT INCLUDES:



ACCESSORIES

FLAP DISCS  
ALUMINIUM  
SLC50



| Diameter (mm) | Grit | ART.#      |
|---------------|------|------------|
| 115           | 40   | 4932479089 |
| 115           | 60   | 4932479090 |
| 125           | 40   | 4932479091 |
| 125           | 60   | 4932479092 |

FLAP DISCS  
ZIRCONIUM



| Diameter (mm) | Grit | ART.#      |
|---------------|------|------------|
| 115           | 40   | 4932472220 |
| 115           | 60   | 4932472221 |
| 125           | 40   | 4932472224 |
| 125           | 60   | 4932472225 |



SCAN HERE  
FOR THE  
WHOLE  
RANGE

TRANSPORT EDITION

M12 FDGA-422B | ART.# 4933471439 (Also available as 0-version)

M12 FUEL ANGLED DIE GRINDER

FEATURES:

- Compact size (only 119 mm long) to help fit in tight places, and offers great mobility and access
- Performance to remove rust, sealant and prepare welding, surface & to cut metal off
- Features a 4-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to ø50 mm
- Supplied with 6 and 8 mm collets

OPTIMISED FOR  
MOST COMMON  
ACCESSORIES



MODE 1:  
10,000 RPM  
Control for delicate applications

MODE 2:  
15,000 RPM

Wire wheel brush



MODE 3:  
20,000 RPM

Bristle disc



MODE 4:  
24,500 RPM

Non-woven disc  
Cut off disc  
Abrasive disc



KIT INCLUDES:



STAY SAFE.  
STAY PRODUCTIVE.

HIGH DEXTERITY  
GLOVES  
SEE PAGE 29

NEW

M12 FDGS-422B | ART.# 4933471436 (Also available as 0-version)

M12 FUEL STRAIGHT DIE GRINDER

FEATURES:

- Best-in-class size (262 mm long) to help reach in tight places, and offers great mobility and access
- Features a 3-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to ø50 mm
- Supplied with 6 and 8 mm collets

KIT INCLUDES:



3-MODE  
SPEED  
CONTROL

REDLITHIUM™



M18 ONEDD2-502X | ART.# **4933464525** (Also available as 0-version)

### M18 FUEL ONE-KEY™ DRILL DRIVER

#### FEATURES:

- ONE-KEY™ enabled
- Extremely compact design of 175 mm length for access into tight spaces
- Advanced heavy duty chuck providing increased bit grip
- All metal reversible belt clip to hang your tool quickly and easily

#### KIT INCLUDES:



**REDLITHIUM™**

### STEP DRILLS

| Description                                                                                                                          | Shank diameter (mm) | Overall length (mm) | No. of steps | ART.#    |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------------|--------------|----------|
| 4 - 12 mm/ 1"                                                                                                                        | 6                   | 65                  | 9            | 48899302 |
| 4 - 20 mm                                                                                                                            | 8                   | 65                  | 9            | 48899320 |
| 6 - 35 mm                                                                                                                            | 10                  | 90                  | 14           | 48899335 |
| 6 - 40.5 mm                                                                                                                          | 10                  | 90                  | 17           | 48899340 |
| ① Step drill set (3pc)                                                                                                               |                     |                     |              | 48899399 |
| Includes 3 step drill bits: 4 - 12 mm/1, 4 - 20 mm, 6 - 35 mm                                                                        |                     |                     |              |          |
| ② Step & drill bit combo set (10pc)                                                                                                  |                     |                     |              | 48899350 |
| Includes 2 x step drill bits: 4 - 12 mm/1, 4 - 20 mm. THUNDERWEB™ metal drill bits: 2 x 2 mm, 2 x 3 mm, 2 x 4 mm, 1 x 5 mm, 1 x 6 mm |                     |                     |              |          |

### THUNDERWEB™ SETS

| Description                                                                                                             | ART.#      |
|-------------------------------------------------------------------------------------------------------------------------|------------|
| ① THUNDERWEB™ HSS-G set (19pc)<br>ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10 mm                         | 4932352374 |
| ② THUNDERWEB™ HSS-G set (25pc)<br>ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10/10.5/11/11.5/12/12.5/13 mm | 4932352376 |

### NEW

M12 FDD2-402X | ART.# **4933479874** (Also available as 0-version)

### M12 FUEL SUB COMPACT DRILL DRIVER

#### FEATURES:

- Extremely compact design of 152 mm length for access into tight spaces
- 45 Nm of torque - superior power to size ratio
- 13 mm heavy duty metal chuck for quick bit changes and bit retention
- Mechanical clutch with 13 torque settings, plus 1 for locked clutch drilling
- and 1 for locked clutch hammer
- On board fuel gauge, metal belt clip and LED light

#### KIT INCLUDES:



**REDLITHIUM™**

M18 FMDP-502C | ART.# **4933451012** (Also available as 0-version)

### M18 FUEL MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET

#### FEATURES:

- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection
- Self-powered permanent magnet with 8,890 N of holding force
- Maximum drilling capacity of 38 mm with use of annual cutters and 13 mm straight shank twist drill bits
- Keyless 19 mm Weldon reception

#### KIT INCLUDES:



**REDLITHIUM™**

### TRANSPORT EDITION

M18 FQID-502X | ART.# **4933451790** (Also available as 0-version)

### M18 FUEL SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER

#### FEATURES:

- FLUID-DRIVE™ hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact
- Delivers up to 0 - 3,000 rpm with constant power output to drive screws faster
- 4-Mode DRIVE CONTROL
- Self-tapping screw mode

#### KIT INCLUDES:



**REDLITHIUM™**

### SHOCKWAVE™ STEP DRILLS

| Description                                                                                                             | Shank diameter (mm) | Overall length (mm) | No. of steps | ART.#    |
|-------------------------------------------------------------------------------------------------------------------------|---------------------|---------------------|--------------|----------|
| 4 - 12 mm/1"                                                                                                            | 1/4" Hex            | 83                  | 9            | 48899261 |
| 4 - 12 mm/ 2"                                                                                                           |                     |                     | 5            | 48899262 |
| 4 - 20 mm                                                                                                               |                     |                     | 9            | 48899263 |
| 4 - 30 mm                                                                                                               |                     | 95                  | 12           | 48899265 |
| SHOCKWAVE™ Impact Duty step drill set (3pc)<br>Includes 3 SHOCKWAVE™ step drill bits: 4 - 12 mm/1, 4 - 20 mm, 4 - 30 mm |                     |                     |              | 48899266 |

### SHOCKWAVE™ IMPACT DUTY MAGNETIC BIT HOLDER

#### FEATURES:

- Custom engineered steel and heat treatment for maximum strength and flexibility
- Optimised SHOCK ZONE™ absorbs up to 3X more torque for more resistance to shock from impacting.
- Strong magnetic tip for secure grip

| Description                              | ART.#      |
|------------------------------------------|------------|
| 152 mm locking bit holder                | 4932471824 |
| Magnetic bit holder 152 mm - long series | 4932471822 |
| 305 mm locking bit holder                | 4932471825 |
| Magnetic bit holder 305 mm - long series | 4932471823 |

ART.# **4932471274**

### SHOCKWAVE™ RIGHT ANGLE ATTACHMENT

#### FEATURES:

- Very compact design: only 36 mm in height and a true 90° angle to allow access into confined spaces
- Impact rated: suitable to use with latest 18V impact drivers as well as cordless drill drivers
- For all 1/4" Hex driving and drilling accessories

Includes  
10 x screwdriving bits: PH2 / PZ1 / PZ2 x 2 / PZ3 / TX10 / TX15 / TX20 / TX25 / TX30.  
1 x Right Angle Attachment



#### FEATURES:

- Designed to deliver best-in-class performance in impact drivers and also the versatility to be used in drill drivers
- The 1/4" Hex shank with an optimised SHOCKZONE™ ensures maximum durability by preventing early shank breaks
- New Titanium Aluminium Nitride coating helps to reduce heat generation
- RAPID STRIKE TIP™: Accurate start without walking and fast drilling without the need to pre-drill the material

### SHOCKWAVE™ IMPACT DUTY SETS

| Description                            | Contents                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | ART.#      |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
|                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 4932430906 |
| SHOCKWAVE™ IMPACT DUTY bit set (32 pc) | SHOCKWAVE™ screwdriving bits: 31 x 25 mm length: 1 x PH1 / 2 x PH2 / 1 x PH3, 1 x PZ1 / 2 x PZ2 / 1 x PZ3, 2 x TX10 / 2 x TX25 / 2 x TX30 / 1 x TX40 / 1 x TX40, 1 x TX B07 / 1 x TX B08 / 1 x TX B09 / 1 x TX B10 / 1 x TX B015 / 1 x TX B020 / 1 x TX B025, 1 x Hex 3 mm / 1 x Hex 4 mm / 1 x Hex 5 mm / 1 x Hex 6 mm, 1 x SHOCKWAVE™ locking bit holder 1/4" Hex reception 73 mm long                                                                                                                                                                           | 4932464240 |
| SHOCKWAVE™ IMPACT DUTY bit set (40 pc) | SHOCKWAVE™ screwdriving bits: 25 x 25 mm length 1 x PH1 / 2 x PH2, 1 x PZ1 / 3 x PZ2, 2 x TX10 / 2 x TX15 / 3 x TX20 / 2 x TX25 / 2 x TX30 / 1 x TX40 / 1 x TX50, 1 x Hex 4 mm / 1 x Hex 5 mm, 1 x SL 0.6 x 4.5 / 1 x SL 0.8 x 5.5 / 1 x SL 1.2 x 6.5, 8 x 50 mm length 1 x PH2, 1 x PZ1 / 1 x PZ2, 1 x TX10 / 1 x TX15 / 1 x TX20 / 1 x TX25 / 1 x TX30. SHOCKWAVE™ magnetic bit holder: 1 x 60 mm length, 1 x 152 mm length. 3 x SHOCKWAVE™ 1/4" Hex drill bits: 3/32 / 4 / 5 mm, 2 x SHOCKWAVE™ magnetic nut drivers: 48 mm length 1 x Hex 8 mm / 1 x Hex 10 mm | 4932430908 |

ART.# **4932459781**

### SHOCKWAVE™ KNUCKLE™ OFFSET ATTACHMENT

#### FEATURES:

- Offset attachment for heavy duty impact applications
- Impact rated: Can be used with both cordless and impact drills
- Very compact offset attachment
- Ideally suited to working in confined and limited spaces
- Solid metal construction to absorb impact action

Includes  
10 x screwdriving bits: PH1 / PH2 x 2 / PZ1 / PZ2 x 2 / PZ3 / TX15 / TX20 / TX25.  
1 x Knuckle™





M18 FSZ-502X | ART.# 4933478291

M18 FUEL SAWZALL™

FEATURES:

- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting comparing to previous brushed model
- Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over life
- Durable metal rafter hang hook for work space management and safety
- Built-in LED light illuminates the work surface while cutting
- Adjustable shoe for optimised use of saw blades

KIT INCLUDES:



THE EXTREMELY  
**DURABLE**  
**SAWZALL™**  
AVAILABLE

REDLITHIUM™

M18 FHZ-502X | ART.# 4933459885  
(Also available as 0-version)

M18 FUEL HACKZALL™



- 22 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



C18 HZ-402B | ART.# 4933441340  
(Also available as 0-version)

M18 HACKZALL™



- 20 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



M12 CHZ-402C | ART.# 4933446950  
(Also available as 0-version)

M12 FUEL SUB COMPACT HACKZALL™



- 15.9 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



C12 HZ-202C | ART.# 4933441195  
(Also available as 0-version)

M12 SUB COMPACT HACKZALL™



- 13 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



REDLITHIUM™

METAL: HEAVY DUTY TORCH™ CARBIDE TEETH



THE TORCH™ CARBIDE TEETH

- Carbide teeth provide for long life in thick metals.
- Up to 50x more life compared to Bi-Metal blades

| LENGTH | PACK QTY | ART.#    |
|--------|----------|----------|
| 150 mm | 1        | 48005201 |
| 230 mm | 1        | 48005202 |
| 300 mm | 1        | 48005203 |

METAL: HEAVY DUTY TORCH™ DEMOLITION BLADES

- Bi Metal, shatter resistant 1.06 mm thick blade for precise cuts in sheet metal and pipes



| LENGTH          | TPI | PACK QTY | ART.#    |
|-----------------|-----|----------|----------|
| 150 mm          | 18  | 5        | 48005784 |
| Ice Edge 150 mm | 18  | 5        | 48004784 |
| 230 mm          | 18  | 5        | 48005788 |
| Ice Edge 230 mm | 18  | 5        | 48004788 |
| 150 mm          | 14  | 5        | 48005782 |
| Ice Edge 150 mm | 14  | 5        | 48004782 |
| 230 mm          | 14  | 5        | 48005787 |
| Ice Edge 230 mm | 14  | 5        | 48004787 |

HACKZALL™ BLADES



HACKZALL™

- Especially engineered blades for exclusive use on 12V HACKZALL™

10PC HACKZALL™ SET  
ART.# 49220220



CHECK OUT THE **MULTI-TOOL RANGE**

|                                  | M18 FUEL                                            | M18                                                            | M12 FUEL                                                    | M12                                          |
|----------------------------------|-----------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------------|----------------------------------------------|
|                                  |                                                     |                                                                |                                                             |                                              |
|                                  | M18 FMT-502X                                        | M18 BMT-421C                                                   | M12 FMT-422X                                                | C12 MT-402B                                  |
| Motor technology                 | FUEL™                                               | Brushed                                                        | FUEL™                                                       | Brushed                                      |
| Oscillation angle left/right (°) | 2.1                                                 | 1.7                                                            | 1.8                                                         | 1.5                                          |
| No load speed (rpm)              | 10,000-20,000                                       | 12,000-18,000                                                  | 10,000-20,000                                               | 5,000-20,000                                 |
| Weight with battery pack (kg)    | 1.9                                                 | 1.7                                                            | 1.2                                                         | 1.2                                          |
| Kit included                     | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | 1 x M18 B4, 1 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box | 2 x M12 B4 Battery packs, C12 C Charger, Bag |
| Art.#                            | 4933478492                                          | 4933446210                                                     | 4933472239                                                  | 4933441705                                   |

REDLITHIUM™

MILWAUKEE®  
**OMT RANGE**



OMT BLADES

STARLOCK

ONE  
UNIVERSAL  
SYSTEM

- No components or adaptors required
- Fast blade changes
- 100% power transmission from tool to accessory

WOOD WITH NAILS 20 MM  
NARROW PLUNGE CUT BI-METAL  
BLADE FOR LONG-LIFE  
ART.# 48906000



MULTI MATERIAL 28 MM  
PLUNGE CUT BI-METAL  
BLADE FOR LONG-LIFE  
ART.# 48906031



MULTI MATERIAL 35 MM PLUNGE  
CUT CARBIDE TOOTHED BLADE  
FOR EXTRA LONG-LIFE  
ART.# 48906040



MULTI MATERIAL 85 MM DIAMETER  
SEGMENTED FLUSH CUT BLADE  
ART.# 48906038



WOOD WITH NAILS 65 MM  
PLUNGE CUT BI-METAL  
BLADE FOR LONG-LIFE  
ART.# 48906027



WOOD WITH NAILS 35 MM  
PLUNGE CUT BI-METAL BLADE  
FOR LONG-LIFE  
ART.# 48906021



MULTI MATERIAL 43 MM  
PLUNGE CUT BI-METAL  
BLADE FOR LONG-LIFE  
ART.# 48906035



MULTI MATERIAL 100 MM DIAMETER  
SEGMENTED FLUSH CUT BI-METAL  
BLADE FOR LONG-LIFE  
ART.# 48906039





## AUTO GLASS INSTALLATION



C18 PCG/600T-201B | ART.# 4933441808

### M18 CAULK GUN WITH 600 ML TUBE



Also available with aluminium tube:

C18 PCG/600A-201B | ART.# 4933441305



C18 PCG/400T-201B | ART.# 4933441812

### M18 CAULK GUN WITH 400 ML TUBE



M12 PCG/600A-201B | ART.# 4933441670

### M12 SUB COMPACT CAULK GUN WITH 600 ML TUBE



M12 PCG/400A-201B | ART.# 4933441665

### M12 SUB COMPACT CAULK GUN WITH 400 ML TUBE



**REDLITHIUM™**

M12 FTB-0 | ART.# 4933472215 (Available as 0-version only)

### M12 FUEL TYRE BUFFER

#### FEATURES:

- Two speed mode selector for reaming (1200 RPM) & buffing applications (2500 RPM)
- Ability to complete around 10 tyre patch repairs with one M12 B2 battery charge
- Optimal speed settings in order to avoid burning or damaging the tyre
- Variable speed trigger provides outstanding control of the tool
- Trigger lock-off extends the life of the tool and battery
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

#### KIT INCLUDES:



**SUSTAINED POWER**  
WITHOUT BOGGING DOWN

**REDLITHIUM™**

# BODYWORK

**NEW** M18 FROP15-502X | ART.# 4933478835

### M18 FUEL RANDOM ORBITAL POLISHER WITH 15 MM STROKE

IDEAL FOR REMOVING **SWIRLS** AND **LIGHT SCRATCHES**

**LARGE ERGONOMIC FRONT GRIP AREA WITH OVERMOLD**

**IMPROVED BATTERY POSITIONING**

Battery 90° rotated to prevent the battery touching the paint during polishing

**125 MM BACKING PAD**

**VARIABLE SPEED 2 FINGER TRIGGER**

with locking function

**REMOVABLE DUST SCREEN**

#### KIT INCLUDES:



STAY SAFE. STAY PRODUCTIVE.

RESPIRATORY PROTECTION  
SEE PAGE 29

**AVAILABLE WITH 21 MM STROKE**

M18 FROP21-502X  
ART.# 4933478837



**REDLITHIUM™**

M18 FAP180-502X | ART.# 4933451550

### M18 FUEL POLISHER

EFFECTIVE AT TAKING OUT **HEAVY SCRATCHES** AND **RESTORING A GREAT FINISH**

**RUBBER OVER MOLD**

**8 POSITION VARIABLE SPEED DIAL**

360 – 2200 rpm

**SIDE AND 3 POSITION BAIL HANDLE**

**REMOVABLE DUST SCREEN**

**VARIABLE SPEED 2 FINGER TRIGGER**

with locking function

#### KIT INCLUDES:



#### POLISHING PADS

Supplied with M18 FAP180-502X

**LAMBSWOOL POLISHING DISC**

ART.# 4932430395

**POLISHING SPONGE HARD**

ART.# 4932430396

**POLISHING SPONGE SOFT**

ART.# 4932430397

**REDLITHIUM™**

M12 BPS-421X | ART.# 4933447799 (Also available as 0-version)

## M12 SUB COMPACT POLISHER / SANDER

FOR ACCESSING SMALL AREAS WHERE A LARGER PAD WILL NOT FIT WELL

### FEATURES:

- Compact design with only 130 mm allows access to hard areas
- Variable 2 speed selection (0-2800 / 0-8300 RPM)
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size

### KIT INCLUDES:



### SUPPLIED WITH M12 BPS-421X

#### POLISHING / SANDING BACKING PAD



Thread: M9 x 0.75. Hook and loop fixation. For use with polishing sponges and abrasive paper  
ART.# 4932430488

#### FIBRE DISC BACKING PAD



Thread: M9 x 0.75 to affix to tool. Knurled thread to fix coated abrasives and surface finishing products for coarse sanding applications, such as rust removal  
ART.# 4932430492

#### POLISHING SPONGE HARD (YELLOW)



Hard sponge for use with aggressive polish for removal of deep scratches. Hook and loop fixation. For use with polishing / sanding backing pad  
ART.# 4932430489

#### POLISHING SPONGE SOFT (WHITE)



Soft sponge for use with light polish for removal of small scratches. Hook and loop fixation. For use with polishing / sanding backing pad  
ART.# 4932430490

#### LAMBSWOOL POLISHING PAD



Hook and loop fixation. For use with polishing / sanding backing pad  
ART.# 4932430838



REDLITHIUM™

#### MICROFIBRE CLOTH

ART.# 4932430398



#### M-CUT 1500

Cutting coarse  
ART.# 4932430475



#### M-WAX 6000

Polishing / Finishing  
ART.# 4932430476



### SUITABLE FOR ALL POLISHERS

### CLOTH / POLISHING COMPOUNDS

M12 CML-401 | ART.# 4933479366

## M12 LED COLOUR MATCHING LIGHT

### FEATURES:

- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 14 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant
- Magnetic attachment for hands-free use

### KIT INCLUDES:



1000 LUMENS  
IP54

| COLOUR         | High   | 1000 Lumens | 4 hr  |
|----------------|--------|-------------|-------|
| 27 35 45 55 65 | Medium | 600 Lumens  | 6 hr  |
|                | Low    | 300 Lumens  | 12 hr |

REDLITHIUM™

TRANSPORT EDITION

M18 BHG-502C | ART.# 4933459772

## M18 HEAT GUN

REACHES OPERATIONAL TEMPERATURE OF 470° IN LESS THAN 7 SECONDS

- Supplied with 2x nozzles:  
1x reduction nozzle for heat intensity on a specific area, 1x reflector nozzle to apply heat around an object, such as pipes



### KIT INCLUDES:



SMALL THIN WALL HEAT SHRINK



Damaged wire repair, bundling wires

Common Sizes: 6 mm, 9 mm, 12 mm

HEAT SHRINK CONNECTORS



Damaged wire repair

Common sizes: 16GA – 14GA (Blue)

REMOVING DECALS



Remove existing decals from vehicles

REDLITHIUM™

M18 ONEFPRT-202X | ART.# 4933478602

## M18 FUEL RIVET TOOL WITH ONE-KEY™

### ONE-KEY™

UNLOCKING THE DIGITAL JOBSITE.

### PREMIUM STEEL ALLOY JAWS

### RETENTION NOSE PIECES

Holds blind rivet in tool, in any orientation, after insertion



### ON-BOARD NOSE PIECE & WRENCH STORAGE

### BELT CLIP

### ALL METAL GEARCASE

### LANYARD RING

### SEMI-CLEAR MANDREL COLLECTOR

### LED LIGHT

### PREMIUM RUBBER OVERMOLD

Protection against corrosive materials

RETENTION NOSE PIECES SET FOR M18 FUEL™ RIVET TOOL WITH ONE-KEY™  
ART.# 4932478961

### KIT INCLUDES:



STAY SAFE. STAY PRODUCTIVE.

CUT LEVEL D & E GLOVES  
SEE PAGE 29

### ALSO AVAILABLE:

M12 BPRT-201X  
ART.# 4933464405



REDLITHIUM™

# OTHER VACUUM CLEANERS

Available as 0-version only

M18 FPOVL-0 | ART.# 4933478187  
**M18 FUEL PACKOUT™ WET/ DRY VACUUM**



- FEATURES:**
- Max. air flow of 1416 l/min & 117 mbar
  - Usable on and off the PACKOUT™ stack
  - The DEK 26 power tool connector allows for efficient dust extraction from power tools
  - HEPA filter

Available as 0-version only

M18 FCVL-0 | ART.# 4933478185  
**M18 FUEL COMPACT VACUUM L-CLASS**



- FEATURES:**
- Max. air flow of 764 l/min & 184 mbar
  - Dual cyclonic debris separation for larger jobsite debris
  - HEPA filter

Available as 0-version only

M12 FVCL-0 | ART.# 49334781  
**M12 FUEL WET/ DRY VACUUM**



- FEATURES:**
- Max. air flow of 1275 l/min & 105 mbar
  - The DEK 26 power tool connector allows for efficient dust extraction from power tools
  - HEPA filter

Available as 0-version only

M12 AUN-0 | ART.# 4932479461  
**M12 AIR-TIP™ UTILITY NOZZLE**



- FEATURES:**
- The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

**REDLITHIUM™**

# GREASE GUNS

- FEATURES:**
- Extreme long run time - dispenses up to 7 cartridges per charge
  - Strong handle balance and ergonomics - only 355 mm long and 3.2 kg
  - Air bleeder valve - priming mechanism for quick flow
  - Integrated hose storage and shoulder strap loop - added user convenience and reducing down time
  - Three way loading - bulk, cartridge and suction capable
  - Grease capacity 400 ml cartridge, 473 ml bulk



Also available as 0-version

M12 GG-401B | ART.# 4933441675  
**M12 SUB COMPACT GREASE GUN**



- Supplied with 914 mm x 14.4 mm high pressure flex hose with spring guard and grease coupler



Also available as 0-version

M18 GG-201C | ART.# 4933440490  
**M18 GREASE GUN**



- Supplied with 1219 mm high pressure flex hose with spring guard



**REDLITHIUM™**

M12 SI-201C | ART.# 4933459761

**M12 SUB COMPACT SOLDERING IRON**


OUTSTANDING ACCESS, 3-STOP PIVOTING HEAD

TOOL FREE TIP CHANGE

HEATS QUICKLY & MAINTAINS OPTIMISED TEMPERATURE  
 Ready to use in 20-30 seconds



KIT INCLUDES:



**PEN STYLE - 0°**

**INNOVATIVE 45° SETTING**

**GUN STYLE - 90°**



Delivers user ability to choose the orientation of the tool depending on the application without the hassle of cords or butane exhaust.

**REDLITHIUM™**

M18 BI-0 | ART.# 4933478706 (Available as 0-version only)

**M18 INFLATOR**

OPTIMISED FOR PASSENGER, LIGHT TRUCK, AND OTHER MEDIUM-DUTY TYRES

- FEATURES:**
- Rated to deliver max 10.34 bar pressure, the high efficiency motor top off 285/75R16 light truck tyres in under 1 minute
  - TRUEFILL™ technology: auto pressure check feature activates to ensure bar target is achieved, automatic shut- off at selected bar prevents overinflation
  - Features 4 bar memory slots, anti-vibration feet, a 920 mm hose with an all-brass schrader chuck, and an on-board hose and nozzle storage



KIT INCLUDES:



**ALSO AVAILABLE:**

M12 BI-0  
 ART.# 4933464124  
 For car, truck and off-road



**REDLITHIUM™**

# STEEL STORAGE

**NEW** ART.# 4932478849

## 78 CM (30") STEEL ROLLING CABINET

### RECESSED, SMOOTH ABS WORKTOP

with screwdriver holes and additional storage compartments

### PEG BOARD

with hooks and tool holders

### 30 KG RATED, SOFT-CLOSE DRAWERS

45 kg / 90 kg on the bottom

### SHOCK-ABSORBING CORNER BUMPERS

### POWER TOOL ORGANISER



### DEDICATED SPACE FOR MOUNTING ANY MILWAUKEE® M18™/M12™ CHARGER

compatible with all MILWAUKEE® chargers

### MAGNETIC POWER CENTRE

### ANTI-TILT PROTECTION

only 1 drawer can be open at a time

### 125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

### ALSO AVAILABLE:

ART.# 4932478850

### 30" STEEL TOP CHEST

#### FEATURES:

- Integrated bottle storage
- Additional storage capacity



## FOAM INSERTS

ART.# 4932479825

### 3/8" RATCHET AND SOCKET FOAM INSERT

#### CONTENTS:

- Standard & deep well sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Accessories: 76 and 152 mm extension, 3/8" universal joint



| Diamond Max                                              | Pack quantity | ART.#      |
|----------------------------------------------------------|---------------|------------|
| Trilobe Screwdriver Foam Insert                          | 23            | 4932479830 |
| 1/4" Ratchet and Socket Set Foam Insert                  | 28            | 4932479824 |
| 1/2" Ratchet and Socket Set Foam Insert                  | 28            | 4932479826 |
| MAX BITE™ Combination Spanner Set Foam Insert            | 15            | 4932479827 |
| MAX BITE™ Ratcheting Combination Spanner Set Foam Insert | 15            | 4932479828 |
| MAX BITE™ Flex Head Ratcheting Spanner Set Foam Insert   | 15            | 4932479829 |

**NEW**

ART.# 4932478852 + 4932478854

## 117 CM (46") HIGH CAPACITY STEEL CABINET & TOP CHEST

### GLOSSY FINISH

easy to clean

### WORK TOP DRAWER

for using a laptop or making notes

### 45 KG RATED, SOFT-CLOSE DRAWERS

(90 kg for the bottom drawer)

### DURABLE ANGLE FRAME

1360 kg total load capacity

### 150 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling



### PEG BOARD ON THE BACK WALL

allows for an easy access to the most used tools

### SAFETY DRAWER

locked separately for storing personal items, keys, wallet, documents, etc.

### 2X IN-BUILT POWER CENTRE

for charging batteries directly on the cabinet

### POWER TOOL & BATTERY ORGANISER

in bottom two drawers



ART.# 4932478852

### 46" HIGH CAPACITY STEEL CABINET

ART.# 4932478854

### 46" HIGH CAPACITY STEEL TOP CHEST

**NEW**

ART.# 4932478856

## 102 CM (40") STEEL WORK CART

### BUILT-IN STORAGE COMPARTMENTS, SCREWDRIVER HOLDERS, STORAGE CUPS

ensure a good organisation and easy access to most used tools and parts

### MAGNETIC POWER CENTRE

for charging batteries directly on the work cart

### ADJUSTABLE STORAGE BAR

for paper towels, spool wires

### CORNER BUMPERS

### 90 KG RATED SLIDING BOTTOM SHELF

for easier access to bulky items like air compressors or tool boxes

### FOLDABLE REAR SHELF

22 kg weight capacity

### V-GROOVES

to hold material when cutting or measuring

### 45 KG RATED SOFT CLOSE DRAWER

### 2X MOVEABLE SHELVES


for storing bottles, sprays and other equipment

### 125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

### DURABLE ANGLE FRAME

315 kg total load capacity





M18 HOSALC-0 | ART.# 4933478116  
**M18 HIGH OUTPUT  
STAND AREA  
LIGHT CHARGER**



MAX  
RUN TIME:  
10 h with  
M18 HB8

**6000  
LUMENS**  
**IP34**

M18 HOAL-0 | ART.# 4933478118  
**M18 HIGH  
PERFORMANCE  
AREA LIGHT**



MAX RUN TIME:  
12 h with M18 B5

**4000  
LUMENS**

M12 AL-0 | ART.# 4933451394  
**M12 LED AREA  
LIGHT**

Integrated magnets,  
clamping mechanism,  
and key hole  
for screws  
provide  
multiple  
mounting  
options.



MAX RUN TIME:  
15 h with M12 B4

**1000  
LUMENS**  
**IP54**

M12 SL-0 | ART.# 4932430178  
**M12 LED STICK  
LIGHT**



Adjustable metal  
hook allows  
for light to be  
hung in multiple  
orientations when  
being used.

MAX RUN TIME:  
11 h with M12 B4

**220  
LUMENS**  
**IP24**

M18 PRCDAB+-0 | ART.# 4933472112  
**M18 PACKOUT™  
RADIO-CHARGER**

- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger



M18 RC-0 | ART.# 4933446639  
**M18 JOBSITE  
RADIO/CHARGER  
WITH BLUETOOTH®**

- AC/DC versatility
- Built in charger function



M18 JSR DAB+-0  
ART.# 4933451251  
**M18 JOBSITE  
RADIO DAB+**



DAB+/FM tuner

M18 JSR-0  
ART.# 4933451250  
**M18 JOBSITE  
RADIO**



AM/FM tuner

M12 RCDAB+-0 | ART.# 4933472114  
**M12 RADIO CHARGER**

- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger



M12 JSSP-0 | ART.# 4933448380  
**M12 JOBSITE  
BLUETOOTH®  
SPEAKER**

Bluetooth®  
wireless  
range of up  
to 10 m



M12-18 JSSP-0 | ART.# 4933459275  
**M12 - M18  
BLUETOOTH®  
SPEAKER**



Bluetooth® wireless range of  
up to 30 m

**REDLITHIUM™**

M18 HB12 | ART.# 4932464260  
**M18  
HIGH OUTPUT™  
12.0 Ah BATTERY**



M18 HB8 | ART.# 4932471070  
**M18  
HIGH OUTPUT™  
8.0 Ah BATTERY**



M18 HB5.5 | ART.# 4932464712  
**M18  
HIGH OUTPUT™  
5.5 Ah BATTERY**



M18 HB3 | ART.# 4932471069  
**M18  
HIGH OUTPUT™  
3.0 Ah BATTERY**



M18 B5 | ART.# 4932430483  
**M18 5.0 Ah  
BATTERY**



M18 B4 | ART.# 4932430063  
**M18 4.0 Ah  
BATTERY**



M18 B2 | ART.# 4932430062  
**M18 2.0 Ah  
BATTERY**



M12 B6 | ART.# 4932451395  
**M12 6.0 Ah  
BATTERY**



M12 B4 | ART.# 4932430065  
**M12 4.0 Ah  
BATTERY**



M12 B3 | ART.# 4932451388  
**M12 3.0 Ah  
BATTERY**



M12 B2 | ART.# 4932430064  
**M12 2.0 Ah  
BATTERY**



L4 B3 | ART.# 4933478311  
**REDLITHIUM™  
USB BATTERY**



M12-18 SC | ART.# 4932471736  
**M12 - M18 SUPER  
CHARGER**



M12-18 FC | ART.# 4932451079  
**M12 - M18 FAST  
CHARGER**



M12-18 C | ART.# 4932352959  
**M12 - M18  
CHARGER**



M12-18 AC | ART.# 4932459205  
**M12 - M18  
CAR CHARGER**



M1418C6 | ART.# 4932430086  
**M14 - M18  
MULTIBAY CHARGER**



M18 DFC | ART.# 4932472073  
**M18 DUAL BAY  
RAPID CHARGER**



M12 C4 | ART.# 4932430554  
**M12 4 BAY  
CHARGER**



C12 C | ART.# 4932352000  
**M12 CHARGER**





# INKZALL™ LIQUID PAINT MARKERS

| Description                           | ART.#      |
|---------------------------------------|------------|
| INKZALL™ liquid paint marker - white  | 48223711   |
| INKZALL™ liquid paint marker - yellow | 48223721   |
| INKZALL™ liquid paint marker - black  | 48223731   |
| INKZALL™ liquid paint marker - red    | 4932492143 |
| INKZALL™ liquid paint marker - blue   | 4932492144 |

SCAN TO EXPLORE THE  
INKZALL™  
RANGE



# ART.# 4932471359 SLIDING UTILITY KNIFE



# ART.# 4932471357 FASTBACK™ FLIP UTILITY KNIFE



- One handed blade opening - flip open the blade with one hand for easy activation
- Integrated gut hook - make cuts without exposing the blade
- Tool free blade change - less down time in the field for blade changes
- Wire stripper - eliminates the need to look for another tool

SCAN TO EXPLORE THE  
KNIFE  
RANGE



# QUICK ADJUST WATER PUMP PLIERS



| Description                             | ART.#    |
|-----------------------------------------|----------|
| Quick adjust water pump pliers - 250 mm | 48226210 |
| Quick adjust water pump pliers - 300 mm | 48226212 |

# DIAGONAL PLIERS



| Total length (mm)               | 160      | 180      |
|---------------------------------|----------|----------|
| Cut cap. in hard wire (mm)      | 2.5      | 3        |
| Cutting capacity soft wire (mm) | 4.0      | 4.0      |
| Jaw length (mm)                 | 22       | 26       |
| Article Number                  | 48226106 | 48226107 |

# SCAN TO VIEW OUR PLIER RANGE



# ART.# 4932478554 7 IN 1 COMBINATION PLIER



# ART.# 48224533 METAL SNIPS SET (3 PC)

- INCLUDES:**  
Left (red),  
Right (green),  
Straight (yellow)  
aviation snips



# ART.# 48220012 COMPACT HACKSAW

- Tool free blade change for changing blades up to 10x faster.
- Compact design, ideal for versatile cutting in tight spaces.
- Adjustable blade length for easier flush cutting.
- Rubber overmold grip for increased comfort.
- Accepts 12" blades.



# NEW ENGINEER HAMMERS



- Fiberglass handle providing low vibration
- Reinforced head connection for added durability
- Precise balance for better handling

| Description                        | ART.#      |
|------------------------------------|------------|
| Fiberglass engineers hammer 200 g  | 4932478661 |
| Fiberglass engineers hammer 300 g  | 4932478662 |
| Fiberglass engineers hammer 500 g  | 4932478663 |
| Fiberglass engineers hammer 800 g  | 4932478664 |
| Fiberglass engineers hammer 1000 g | 4932478665 |

# ART.# 4932471871 DEMOLITION DRIVER



- Hardened all metal core giving maximum shank durability
- Multiple striking caps to give user more force when prying and chiseling
- Duct piercing tip allows to pierce through sheet metal

# ADJUSTABLE WRENCHES



| Total length (mm)                     | Jaw opening capacity for pipe (mm) | Jaw thickness (mm) | Tip thickness (mm) | Weight (g) | ART.#    |
|---------------------------------------|------------------------------------|--------------------|--------------------|------------|----------|
| 150                                   | 24.5                               | 11.5               | 7.7                | 186        | 48227406 |
| 200                                   | 30                                 | 14                 | 8.7                | 353        | 48227408 |
| 200                                   | 40                                 | 14                 | 8.1                | 385        | 48227508 |
| 250                                   | 36.5                               | 16                 | 9.9                | 535        | 48227410 |
| 150 mm (48227406) + 250 mm (48227410) |                                    |                    |                    |            | 48227400 |

# ART.# 4932478621 HEX KEY 9PC SET

- Twist and lock case for easy access to keys
- Ball end for up to 30° access to screw
- Size identification to easily identify the key
- Lanyard hole for easy attachment to the Milwaukee lanyard range allowing use at height

Content: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



# TRILOBE SETS

## ART.# 4932471806 TRI-LOBE SCREWDRIVER SET 1 (6 PC)



Content: PZ1 / PZ2 / SL3 / SL4 / SL5.5 / SL6.5

## ART.# 4932471807 TRI-LOBE SCREWDRIVER SET 2 (6 PC)




Content: PH1 / PH2 / SL3 / SL4 / SL5.5 / SL6.5

## ART.# 4932471808 TRI-LOBE SCREWDRIVER SET 3 (10 PC)



Content: PZ1 / PZ2 / PH1 / PH2 / SL3 / SL5.5 / SL6.5 / SL8

## ART.# 4932471809 TRI-LOBE SCREWDRIVER TORX SET (6 PC)



Content: T10 / T15 / T20 / T25 / T30 / T40

## ART.# 4932472003 TRI-LOBE SCREWDRIVER SET 4 (12 PC)



Content: PZ0 / PZ1 / PZ2 / PH0 / PH1 / PH2 / SL2.5 / SL4 / SL5.5 / SL6.5 / SL8

WWLSG  
**WARM WEATHER  
LONG SLEEVE  
SHIRT (GREY)**

**SIZES:**  
from S to XXL



WTLSG  
**WORK T-SHIRT  
LONG SLEEVE  
(GREY)**

**SIZES:**  
from S to XXL



WHB  
**WORK HOODIE  
(BLACK)**

**SIZES:**  
from S to XXL



WWSSG  
**WARM WEATHER  
SHORT SLEEVE  
SHIRT (GREY)**

**SIZES:**  
from S to XXL



WTSSG  
**WORK T-SHIRT  
SHORT SLEEVE  
(GREY)**

**SIZES:**  
from S to XXL



**KNEE PADS**



|   | Description                            | Internal Padding | Straps | ART.#      |
|---|----------------------------------------|------------------|--------|------------|
| ① | Premium non-marking knee pads - 1 pair | Gel              | 2      | 4932478584 |
| ② | Hard knee pads - 1 pair                | Gel              | 2      | 4932478585 |
| ③ | Flexible knee pads - 1 pair            | Foam             | 1      | 4932479936 |

L4 HBLB-301  
**HEATED BASE  
LAYER**



**SIZES:**  
from S to XXL

SCAN TO  
VIEW OUR  
**HEATED  
WORKGEAR  
RANGE**



L4 PWL-301 | ART.# 4933479765

**USB  
RECHARGEABLE  
PIVOTING WORK  
LIGHT**



**MAX RUN  
TIME:** 11.75 h  
with L4 B3

**500  
LUMENS**

IR FL500 | ART.# 4933478586

**INTERNAL USB  
RECHARGEABLE  
FLASHLIGHT**



**500  
LUMENS**

IR HL450 | ART.# 4933478587

**INTERNAL USB  
RECHARGEABLE  
HEADLAMP**



**450  
LUMENS**

L4 HLRP-301 | ART.# 4933479767

**USB  
RECHARGEABLE  
HARD HAT  
HEADLAMP**




**MAX RUN TIME:**  
28h with L4 B3

**600  
LUMENS**  
**IP54**

L4 FL-301 | ART.# 4933479763

**USB  
RECHARGEABLE  
POCKET FLOOD  
LIGHT**



**MAX RUN TIME:**  
12.5 h with L4 B3

**445  
LUMENS**  
**IP54**

L4 FFL-301 | ART.# 4933479766

**USB  
RECHARGEABLE  
FOLDING FLOOD  
LIGHT**



**MAX RUN TIME:**  
13.5 with L4 B3

**550  
LUMENS**  
**IP54**

IPL-LED | ART.# 4933459440

**ALKALINE PEN  
LIGHT**



**MAX RUN TIME:**  
3 h

**100  
LUMENS**  
**IP67**

**CUT LEVEL 4/D  
GLOVES**



**SIZES:**  
from S to XXL



**CUT LEVEL 5/E  
GLOVES**



**SIZES:**  
from S to XXL



**NEW HIGH DEXTERITY  
GLOVES**

**CUT B GLOVES**

**CUT C GLOVES**

**CUT D GLOVES**

**SIZES:**  
from S to XXL



**BANDED EAR PLUGS**

32dB SNR  
**ALL-DAY COMFORT**  
3 WEARING POSITIONS



| Description                      | ART.#      |
|----------------------------------|------------|
| Banded ear protection - 1pc      | 4932478135 |
| 5 pairs TPR replacement          | 4932478549 |
| 5 pairs foam replacement         | 4932478550 |
| Reusable corded ear plugs - 3pcs | 4932471904 |
| Foam ear plugs 10 pairs          | 4932480464 |
| Foam ear plugs 200 pairs         | 4932480465 |

**NEW CUT RESISTANT SLEEVES**



| Description           | ART.#      |
|-----------------------|------------|
| Cut C sleeves - 40 cm | 4932478584 |
| Cut C sleeves - 45 cm | 4932478585 |
| Cut E sleeves - 40 cm | 4932479936 |
| Cut E sleeves - 45 cm | 4932479937 |

ART.# 4932471883

**CLEAR SAFETY GLASSES**



Also available with gasket



ART.# 4932471885



**NEW TRANSPORTATION PPE KIT**

**CONTENTS:**

- Enhanced Safety Glasses Clear - 1pc
- Banded Ear Plugs - 1pc
- Hi-vis cut B gloves



| Description                      | ART.#      |
|----------------------------------|------------|
| Transportation PPE Kit - G.9/L   | 4932492064 |
| Transportation PPE Kit - G.10/XL | 4932492065 |

ART.# 4932471906

**FFP3 RESPIRATOR  
WITH VALVE (10 PC)**



**99%  
FILTERING  
EFFICIENCY**



ART.# 4932478548

**FFP2 RESPIRATOR  
WITH VALVE (10 PC)**



**94%  
FILTERING  
EFFICIENCY**




ART.# 4932478801

**FFP2 RESPIRATOR  
FOLDABLE WITH  
VALVE (15 PC)**



**94%  
FILTERING  
EFFICIENCY**



# FIND THE RIGHT TOOLS FOR YOUR TRADE

[www.milwaukeetool.eu](http://www.milwaukeetool.eu)



## WITH OUR NEW AUTOMOTIVE TRADE ZONE

We work directly with our core trades every day to produce the tools you need to improve the way you work.



### TRANSPORT



WATCH OUR TRANSPORT TRADE VIDEOS AT  
[youtube.com/milwaukeetool europe](https://youtube.com/milwaukeetool europe)



Techtronic Industries Middle East & Africa FZCO  
JAFZA Showroom, S3A1SR07, JAFZA South  
P.O. Box: 61254  
Dubai, United Arab Emirates  
Tel.: +971 4 884 1648  
[meainfo@tti-emea.com](mailto:meainfo@tti-emea.com)



FOLLOW US  
ON INSTAGRAM  
#MILWAUKEETOOLMEA



FOLLOW US  
ON LINKEDIN  
@MILWAUKEE TOOL MEA

[www.milwaukeetool.eu](http://www.milwaukeetool.eu)

\*Terms and conditions apply, see website for further details. All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding.  
No liability for printing errors or mistakes. Copyright 2022 - Milwaukee Electric Tool